

	Type	Hits	Search Text	DBs
1	BRS	0	XML with 717/168-178.ccls.	USPAT; US-PGPUB
2	BRS	53	XML and 717/168-178.ccls.	USPAT; US-PGPUB
3	BRS	24	XML with manifest\$1	USPAT; US-PGPUB
4	BRS	37	XML same manifest\$1	USPAT; US-PGPUB
5	BRS	1	5999740.pn.	USPAT; US-PGPUB
6	BRS	139	software adj extension\$1	USPAT; US-PGPUB
7	BRS	8673	(software adj extension\$1) with HTML or XML	USPAT; US-PGPUB
8	BRS	0	(software adj extension\$1) with (HTML or XML)	USPAT; US-PGPUB
9	BRS	1	(software adj extension\$1) same (HTML or XML)	USPAT; US-PGPUB
10	BRS	6	(software adj updat\$8) with (HTML or XML)	USPAT; US-PGPUB
11	BRS	28	(software adj updat\$8) same (HTML or XML)	USPAT; US-PGPUB
12	BRS	11	(software adj upgrad\$8) same (HTML or XML)	USPAT; US-PGPUB
13	BRS	269	(software adj updat\$6) same (web page)	USPAT; US-PGPUB
14	BRS	58	(software adj updat\$6) same ("web page")	USPAT; US-PGPUB
15	BRS	22	(software adj updat\$6) same ("web page")	USPAT
16	BRS	873	(download\$6 or transmit\$6) adj2 ((web adj page) or HTML)	USPAT
17	BRS	21	(download\$6 or transmit\$6) adj2 ((web adj page) or HTML) and 717/\$.ccls.	USPAT
18	BRS	3	((download\$6 or transmit\$6) adj2 ((web adj page) or HTML)) same (software adj (updat\$8 or upgrad\$8))	USPAT

	Type	Hits	Search Text	DBs
19	IS&R	1	("5999740").PN.	USPAT; US-PGPUB
20	IS&R	1	("6219698").PN.	USPAT; US-PGPUB
21	BRS	8	717/168-178.ccls. and file\$3 near hash\$3	USPAT; US-PGPUB
22	BRS	280	file\$3 near hash\$3	USPAT; US-PGPUB
23	BRS	21	(file\$3 near hash\$3) with (updat\$7 or upgrad\$7)	USPAT; US-PGPUB
24	BRS	14	("5845090" "5919247" "5930513" "5960204" "6006035" "6067582" "6167567" "6199204" "6256668" "6266811" "6282709" "6282711" "6301710" "6314565").PN.	USPAT
25	BRS	2	COMClass	USPAT; US-PGPUB
26	BRS	5	order\$4 with file\$1 with group\$4 with download\$6	USPAT; US-PGPUB
27	BRS	2270	file\$3 near group\$4	USPAT; US-PGPUB
28	BRS	5	(file\$3 near group\$4) same (download\$5 with order\$5)	USPAT; US-PGPUB
29	BRS	76	download adj order	USPAT; US-PGPUB
30	BRS	13	(file\$3 near group\$4) with queue\$4	USPAT; US-PGPUB
31	BRS	225	queu\$7 near2 director\$6	USPAT; US-PGPUB
32	BRS	44	(queu\$7 near2 director\$6) with file\$3	USPAT; US-PGPUB
33	BRS	86	717/168-178.ccls. and (queue)	USPAT; US-PGPUB
34	BRS	10	717/168-178.ccls. and (queue with order\$5)	USPAT; US-PGPUB
35	BRS	23	user\$5 with queu\$7 with priorit\$7 with input\$5	USPAT; US-PGPUB
36	BRS	0	old adj package\$1 adj directory	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
37	BRS	0	previous adj package\$1 adj directory	USPAT; US-PGPUB
38	BRS	58	previous adj directory	USPAT; US-PGPUB
39	BRS	76	old adj directory	USPAT; US-PGPUB
40	BRS	1598	URN	USPAT; US-PGPUB
41	BRS	27	address with director\$6 with old	USPAT; US-PGPUB
42	BRS	0	queu\$7 with depedenc\$7	USPAT; US-PGPUB
43	BRS	0	queu\$7 with depeden\$7	USPAT; US-PGPUB
44	BRS	1120	queu\$7 with dependen\$7	USPAT; US-PGPUB
45	BRS	54	queu\$7 with dependen\$7 with file\$1	USPAT; US-PGPUB
46	BRS	0	queu\$7 with dependen\$7 with file\$1 same manipulat\$7	USPAT; US-PGPUB
47	BRS	55	717/\$.ccls. and (dependenc\$7 with package\$5)	USPAT; US-PGPUB
48	BRS	107	(dependenc\$7 with application\$1) same (updat\$7 or upgrad\$7)	USPAT; US-PGPUB
49	BRS	102	717/\$.ccls. and (depend\$7 with package\$5)	USPAT; US-PGPUB
50	BRS	56	717/168-178.ccls. and (depend\$7 with package\$5)	USPAT; US-PGPUB
51	BRS	0	717/168-178.ccls. and (package\$1 with "each application")	USPAT; US-PGPUB
52	BRS	0	package\$1 with "each application"	USPAT; US-PGPUB
53	BRS	9	package\$1 with "every application"	USPAT; US-PGPUB
54	BRS	0	717/\$.ccls. with ((client\$1 or user\$1) with information\$1)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
55	BRS	2289	717/\$.ccls. and ((client\$1 or user\$1) with information\$1)	USPAT; US-PGPUB
56	BRS	155	717/168-178.ccls. and ((client\$1 or user\$1) with information\$1) with (updat\$7 or upgrad\$7)	USPAT; US-PGPUB
57	BRS	57	717/168-178.ccls. and ((client\$1) with information\$1) with (updat\$7 or upgrad\$7)	USPAT; US-PGPUB
58	BRS	14	717/168-178.ccls. and ((client\$1 or user\$1) with information\$1) with (updat\$7 or upgrad\$7) with packag\$7	USPAT; US-PGPUB
59	BRS	7	717/168-178.ccls. and ((client\$1 or user\$1) with information\$1) with (updat\$7 or upgrad\$7) same dependenc\$7	USPAT; US-PGPUB
60	BRS	6	717/168-178.ccls. and (information\$1 adj2 (client\$1 or user\$1)) with (updat\$7 or upgrad\$7) same packag\$7	USPAT; US-PGPUB
61	BRS	6	717/168-178.ccls. and (custom\$7 adj package\$3)	USPAT; US-PGPUB
62	BRS	31	717/\$.ccls. and (dependenc\$7.ti.)	USPAT; US-PGPUB
63	BRS	2	(software adj extension\$1) with package\$1	USPAT; US-PGPUB
64	BRS	33	(software adj upgrad\$7) with package\$1	USPAT; US-PGPUB
65	BRS	0	multiple\$2 with (software adj upgrad\$7) with package\$1	USPAT; US-PGPUB
66	BRS	12	multiple\$2 with upgrad\$7 with package\$1	USPAT; US-PGPUB
67	BRS	0	(file adj usage) with scenario\$3	USPAT; US-PGPUB
68	BRS	1	(file adj usage) with test\$3	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
69	BRS	212	file adj usage	USPAT; US-PGPUB
70	BRS	14	file adj usage with statistic\$2	USPAT; US-PGPUB
71	BRS	3	file adj usage with sort\$6	USPAT; US-PGPUB
72	BRS	4	file adj usage same sort\$6	USPAT; US-PGPUB
73	BRS	770	file with sort\$6 with (use\$2 or usage)	USPAT; US-PGPUB
74	BRS	0	sort\$6 adj file with (use\$2 or usage) and 717/\$.ccls.	USPAT; US-PGPUB
75	BRS	56	sort\$6 adj file with (use\$2 or usage)	USPAT; US-PGPUB
76	BRS	1	sort\$6 adj file with (usage)	USPAT; US-PGPUB
77	BRS	0	sort\$6 adj file with statistic\$6	USPAT; US-PGPUB
78	BRS	13	sort\$6 adj file with character\$4	USPAT; US-PGPUB
79	BRS	878	717/\$.ccls. and sort\$7	USPAT; US-PGPUB
80	BRS	149	717/168-178.ccls. and sort\$7	USPAT; US-PGPUB
81	BRS	9	717/168-178.ccls. and sort\$7 with (pack\$6)	USPAT; US-PGPUB
82	BRS	212	file adj usage	USPAT; US-PGPUB
83	BRS	4	(file adj usage) same sort\$7	USPAT; US-PGPUB
84	BRS	79	(file adj usage) and sort\$7	USPAT; US-PGPUB
85	BRS	3	(file adj usage) and (sort\$7 adj file\$1)	USPAT; US-PGPUB
86	BRS	0	(statistic\$3) with (scenario\$3) with priorit\$5	USPAT; US-PGPUB
87	BRS	0	(statistic\$3) with (scenario\$3) same priorit\$5	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
88	BRS	5	(statistic\$3) with (scenario\$3) and (scenario\$3 with priorit\$5)	USPAT; US-PGPUB
89	BRS	27	(statistic\$3) with (scenario\$3) with collect\$6	USPAT; US-PGPUB
90	BRS	4	(statistic\$3) with (scenario\$3) and 717/\$.ccls.	USPAT; US-PGPUB
91	BRS	13	(statistic\$3) with (scenario\$3) and 707/\$.ccls.	USPAT; US-PGPUB
92	BRS	28	(statistic\$3) with (scenario\$3) with generat\$7	USPAT; US-PGPUB
93	BRS	222	(statistic\$3) with (scenario\$3)	USPAT; US-PGPUB
94	BRS	645	(statistic\$3) with test\$6 with (software\$1 or application\$1)	USPAT; US-PGPUB
95	BRS	66	(statistic\$3) with test\$6 with (software\$1 or application\$1) and scenario\$3	USPAT; US-PGPUB
96	BRS	344	scenario\$3 with priorit\$6	USPAT; US-PGPUB
97	BRS	23	scenario\$3 near priorit\$6	USPAT; US-PGPUB
98	BRS	0	(statistic\$3) with test\$6 with (software\$1 or application\$1) and (test\$5 adj priorit\$6)	USPAT; US-PGPUB
99	BRS	8	(statistic\$3) with test\$6 with (software\$1 or application\$1) and (test\$5 with priorit\$6)	USPAT; US-PGPUB
100	BRS	84	scenario\$3 near3 priorit\$6	USPAT; US-PGPUB
101	BRS	69	scenario\$3 near2 priorit\$6	USPAT; US-PGPUB
102	BRS	375	scenario\$3 near2 order\$7	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
103	BRS	0	(statistic\$3) with test\$6 with (software\$1 or application\$1) and (scenario\$3 near order\$6)	USPAT; US-PGPUB
104	BRS	2	(statistic\$3) with test\$6 with (software\$1 or application\$1) and (test\$6 near2 priorit\$6)	USPAT; US-PGPUB
105	BRS	106	(statistic\$3) with test\$6 with (software\$1 or application\$1) and (test\$6 near2 order\$6)	USPAT; US-PGPUB
106	BRS	349	(statistic\$3) with test\$6 with (software\$1 or application\$1) and log\$6	USPAT; US-PGPUB
107	BRS	58	(statistic\$3) with test\$6 with (software\$1 or application\$1) and (log\$6 with statistic\$6)	USPAT; US-PGPUB
108	BRS	4	(knowledge adj base) with typical\$6 with task\$3	USPAT; US-PGPUB
109	BRS	217	(scenario\$3 or test\$3) with typical\$6 with task\$3	USPAT; US-PGPUB
110	BRS	60	(scenario\$3 or test\$3) with (typical\$6 near task\$3)	USPAT; US-PGPUB
111	BRS	14	(scenario\$3 or test\$3) with (often\$1 near task\$3)	USPAT; US-PGPUB
112	BRS	1143	(scenario\$3 or test\$3) with (often\$1 near used)	USPAT; US-PGPUB
113	BRS	81	(scenario\$3 or test\$3) with (most near often\$1 near used)	USPAT; US-PGPUB
114	BRS	14752	test\$5 with software	USPAT; US-PGPUB
115	BRS	83	test\$5 with software with statistic\$1	USPAT; US-PGPUB
116	BRS	3	test\$5 with software with statistic\$1 and (test adj suite\$1)	USPAT; US-PGPUB
117	BRS	24	functionalit\$4 with (test adj suite\$1)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
118	BRS	598	version\$6 with hash\$6	USPAT; US-PGPUB
119	BRS	93	version\$6 near hash\$6	USPAT; US-PGPUB
120	BRS	0	versioning near hash\$6	USPAT; US-PGPUB
121	BRS	7	versioning with hash\$6	USPAT; US-PGPUB
122	IS&R	1	("5999740").PN.	USPAT; US-PGPUB
123	BRS	0	manifest\$3 same (download\$5 near directive\$1)	USPAT; US-PGPUB
124	BRS	7	download\$5 near directive\$1	USPAT; US-PGPUB
125	BRS	0	group\$4 with file\$4 with online\$1 with offline\$1	USPAT; US-PGPUB
126	BRS	36	group\$4 with online\$1 with offline\$1	USPAT; US-PGPUB
127	BRS	9	group\$4 with offline\$1 with content	USPAT; US-PGPUB
128	BRS	14037	group\$4 with file\$3	USPAT; US-PGPUB
129	BRS	17	online with offline with director\$7	USPAT; US-PGPUB
130	BRS	8	offline near director\$7	USPAT; US-PGPUB
131	BRS	12	offline near2 director\$7	USPAT; US-PGPUB
132	BRS	35	offline near2 group\$5	USPAT; US-PGPUB
133	BRS	63	offline with director\$7	USPAT; US-PGPUB
134	BRS	10	offline\$1 with file\$1 with cach\$5	USPAT; US-PGPUB
135	BRS	159	group\$6 with file\$5 with first\$5 with time\$4	USPAT; US-PGPUB
136	BRS	22	group\$6 with file\$5 with (first\$5 adj time\$4)	USPAT; US-PGPUB
137	BRS	0	717/168-178.ccls. and (dll or (dynamic adj link adj librar\$6)) with depeden\$7	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
138	BRS	3	717/168-178.ccls. and (dll or (dynamic adj link adj librar\$6)) with dependen\$7	USPAT; US-PGPUB
139	BRS	4	717/168-178.ccls. and (dll or (dynamic adj link adj librar\$6)) with depend\$7	USPAT; US-PGPUB
140	BRS	129	717/168-178.ccls. and (dll or (dynamic adj link adj librar\$6))	USPAT; US-PGPUB
141	BRS	0	717/168-178.ccls. and (dll or (dynamic adj link adj librar\$6)) with manifest\$5	USPAT; US-PGPUB
142	BRS	13	717/168-178.ccls. and (dll or (dynamic adj link adj librar\$6)) with package\$4	USPAT; US-PGPUB
143	BRS	41	717/168-178.ccls. and (dll or (dynamic adj link adj librar\$6)) and dependen\$7	USPAT; US-PGPUB
144	BRS	39	717/168-178.ccls. and (librar\$6 with dependen\$7)	USPAT; US-PGPUB
145	BRS	9	file\$1 with scenario\$2 with priorit\$6	USPAT; US-PGPUB
146	BRS	6	scenario\$2 with sort\$7 with file\$1	USPAT; US-PGPUB
147	BRS	66	download\$6 with priorit\$7 with (application\$1 or software\$1)	USPAT; US-PGPUB
148	BRS	16	download\$6 with priorit\$7 near2 (application\$1 or software\$1)	USPAT; US-PGPUB
149	BRS	42	sort\$7 near2 (application\$1 or software\$1)and 717/\$.ccls.	USPAT; US-PGPUB
150	BRS	20	sort\$7 with (pack\$7) and 717/\$.ccls.	USPAT; US-PGPUB
151	BRS	2	sort\$7 with number\$6 with time\$3 with download\$6	USPAT; US-PGPUB
152	BRS	1127	number\$6 with time\$3 with download\$6	USPAT; US-PGPUB
153	BRS	7	number\$6 adj time\$3 adj3 download\$6 same (sort\$5 or order\$5)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
154	BRS	94	number\$6 adj time\$3 adj3 download\$6	USPAT; US-PGPUB
155	BRS	20	sort\$7 with based with averag\$5 with order\$6	USPAT; US-PGPUB
156	BRS	0	sort\$7 with based with averag\$5 with priorit\$7	USPAT; US-PGPUB
157	BRS	2	sort\$7 same based with averag\$5 with priorit\$7	USPAT; US-PGPUB
158	BRS	3	sort\$7 with averag\$5 with priorit\$7	USPAT; US-PGPUB
159	BRS	7	(sort\$7 or order\$7) same number\$6 adj time\$3 adj3 download\$6	USPAT; US-PGPUB
160	BRS	1	sort\$7 with averag\$7 with download\$7	USPAT; US-PGPUB
161	BRS	15	sort\$7 with averag\$7 with access\$7	USPAT; US-PGPUB